INDEX

Agrifood	AR5. See Fifth Assessment Report
annual growth of agrifood	(AR5)
production volume, 9	ARC. See Agricultural risk
prices, 9, 10	coverage (ARC)
production, 8	Army worm (Spodoptera litura),
Agroclimate.org, 88–89	111, 114
Agronomic advances, 149–150	ASSCT. See American Society of
Almost ideal demand systems	Sugar Cane
model (AIDS model),	Technologists (ASSCT)
183	ATE. See Average treatment effect
American Society of Sugar Cane	(ATE)
Technologists (ASSCT),	ATT. See Average Treatment
146	Effect on the Treated
Animal and Plant Health	(ATT)
Inspection Service	Autonomous adaptation, 75–76
(APHIS), 36	Availability
Animal food system, seafood in,	dimensions of food security, 38
164	food-security dimension, 2
annual growth rates for animal-	Average Crop Revenue Election
production categories,	program (ACRE
165	program), 131
environmental issues, 168–169	Average per-capita market
seafood trade, 166–167	demand, 211
Animal protein, 165–166	Average treatment effect (ATE),
Annual growth	246
of agrifood prices, 10	Average Treatment Effect on the
of agrifood production volume,	Treated (ATT), 246–247
9	Azadirachta indica. See Neem
of land-augmenting technical	(Azadirachta indica)
change, 8	Azuki beans (Vigna angularis),
Anthracnose, 110	106
Antibiotic use, 169	D : 11
Aphids, 111	Bacillus thuringiensis-based
APHIS. See Animal and Plant	biopesticides, 114
Health Inspection	Bactrocera cucurbitae. See Melon
Service (APHIS)	fly (Bactrocera
Aphis gossypii, 111	cucurbitae)
Aquaculture, 159	Bactrocera dorsalis. See Oriental
global production of seafood, 160	fruit fly (Bactrocera
seafood	dorsalis)
in animal food system,	Bagasse, 147
164–169	Bangladesh, food security in rural
production, 161–164	data and descriptive statistics,
systems, 78 Aquatic animal protein, 165	248–250 economic impacts, 242–243
Addatic allillar brotein, 103	CCOHOHHC HIIDACIS, Z4Z—Z43

empirical methodology,	fixed sugar-beet acreage and
245-248	reduced beet-sugar
and measurement, 243-245	demand, 43
results and discussion, 251–253	impact of GM sugar beet
See also Ethiopia, food security	adoption, 39
in	reduced sugar-beet acreage
Bangladeshi Taka (BDT), 249-250	and constant beet-sugar
Barrier crops, 114	demand, 40
BDT. See Bangladeshi Taka	reduced sugar-beet acreage
(BDT)	and decreased beet-sugar
Beet-sugar yields	demand, 42–43
price impact of increasing,	US sugar beet area, yield, and
43-44	production, 37
quantitative example of	See also Genetically modified
increasing, 45–46	organism (GMO)
Bemisia tabaci. See Whitefly	Black gram (Vigna mungo), 106
(Bemisia tabaci)	Blight pathogen (<i>Phytophthora</i>
Biodiversity, 279–280	capsici), 110–111
Biofuel(s), 136	BSP. See Biosafety Protocol (BSP)
policy, 3	,
production, 262	Calibration approach, 212
Biomass-based diesel, 136	California Air Resources Board
Biopesticides, 114	(CARB), 55
Biosafety Protocol (BSP), 200	Canada, 137, 180, 196–197, 199
Biotechnology, 38, 193–194	Canada-EU Comprehensive
dimensions of food security,	Economic and Trade
37–38	Agreement (CETA), 194
food security through, 35	Cane sugar, 38, 39, 42, 43
GM crop adoption in United	Florida and Louisiana, 455
States, 36	increased demand for, 42
interface between GM crop	non-GM, 43
adoption and demand,	production and yield in Florida
46-48	and Louisiana, 146
potential for biotechnology to	US, 40, 47, 49
increasing agricultural	Capsicum chinense, 115
productivity, 194–196	CARB. See California Air
price impact of increasing beet-	Resources Board
sugar yields, 43–44	(CARB)
quantitative example of	Carbon dioxide (CO ₂), 69, 109
increasing beet-sugar	Carbon footprint, 54, 169
yields, 45–46	of aquaculture production, 169
theoretical framework, 38	calculators, 88
fixed sugar-beet acreage and	Cargill, 152, 153
constant beet-sugar	Carp, 162, 163, 170
demand, 40–42	Cash crops, 133

Cassava leaves (Manihot	insect pests, 111–112
esculenta), 106	sustainable disease and insect
Cassava price, 261, 267	pest management
CBO. See Congressional Budget	approaches, 112–116
Office (CBO)	Coastal flooding, 97, 98
CCP. See Countercyclical	Codex. See Codex Alimentarius
Payments Program	Commission (Codex)
(CCP)	Codex Alimentarius Commission
CDC. See Centers for Disease	(Codex), 202–203
Control and Prevention	Coffee-food security interface for
(CDC)	subsistence households
Cellulosic biofuels, 136	empirical analysis
Centers for Disease Control and	classification table, 229
Prevention (CDC), 176	descriptive statistics of
CES production. See Constant	sample, 224–225
elasticity of substitution	household characteristics,
production (CES	226
production)	Logit analysis, 229–231
CETA. See Canada-EU	mean comparison between
Comprehensive	food-secure and food-
Economic and Trade	insecure households,
Agreement (CETA);	225-228
Comprehensive	test of equal means, 227–228
Economic Trade	variable in logit food storage
Agreement (CETA)	equation, 229
CGE model. See	in Jimma Zone Ethiopia, 221
Computable general	Logit analysis, 229-231
equilibrium model (CGE	OCFCU, 222
model)	survey instrument, 223-224
Children, 20, 21, 23, 87, 226	Colletotrichum acutatum, 115
China, 6, 30, 53, 72, 108, 163, 195,	Colletotrichum scovillei, 115
276	Colletotrsichum spp., 110, 115–116
CIA. See Conditional	Common bean (Phaseolus), 106
independence	Compliance costs, 175, 177, 179,
assumption (CIA)	181
Climate change, 2, 70, 86, 90, 105,	Comprehensive Economic Trade
109	Agreement (CETA),
and CO_2 , $70-72$	196–197, 199
future research, 80	Computable general equilibrium
infrastructure, 79–80	model (CGE model), 2,
R&D, 79	55
variables, 109	Conditional independence
vegetable diseases and insect	assumption (CIA), 247
pests, 109	Congressional Budget Office
fungal diseases, 110–111	(CBO), 127

Congressional Research Service	Data statistics, 248–250
(CRS), 127	"Dead-end" trap crop, 114
Conservation policy, 134–135	Deficiency of nutrition, 20
Conservation Reserve Program	Delta Sky, 152–153
(CRP), 128	Demand system specification,
Conservation Stewardship	210-212
Program (CSP), 128	Demographic variables, 251
Constant elasticity of substitution	Descriptive statistics of sample,
production (CES	224-225
production), 4	DGAC. See Dietary Guideline
Consumer price index (CPIs), 212	Advisory Committee
Consumer wealth, 163–164	(DGAC)
Contaminated food, 176	Diadegma semiclausum, 114
Conventional biofuel, 136	Diadromus collaris, 114
Cooking oil prices, 270–271	Diamondback moth (Plutella
Countercyclical Payments Program	xylostella), 111
(CCP), 131	Diet diversity, 243, 248–249, 252
Covered farms, 178-179, 182	Diet-related diseases, 104
Cowpea (Vigna unguiculata), 106	Dietary diversity, 2
CPIs. See Consumer price index	Dietary Goals for United States
(CPIs)	(1977), 23
Crop	Dietary Guideline Advisory
pests and diseases, 105	Committee (DGAC), 29
plants, 110	Dietary Guidelines, 28
production, 196	in United States, 21
systems, 76–77	basic seven (1943–1956), 22
Cropping systems, 72, 106	"Food Guide Pyramid", 23,
CRP. See Conservation Reserve	24
Program (CRP)	Harvard's healthy eating
CRS. See Congressional Research	pyramid, 25
Service (CRS)	USDHHS, 27
CSP. See Conservation	beyond United States, 30
Stewardship Program	Disaster-aid programs, 129–130
(CSP)	Diverse cropping systems, 106
Cultural practices, 112, 114	DMPP. See Dairy margin
Curative measures, 112	protection program
	(DMPP)
Dairy, 17, 21, 24, 267, 283	Domestic agricultural sector, 6
farms, 127	Domestic food markets, 260–261
fat-free or low-fat, 27	Domestic retail-food prices,
supplies, 28	261-262
U.S. dairy industry, 133	Domestic sugar-beet industry, 39
Dairy margin protection program (DMPP), 127	Dominant leaf curl Taiwan virus,
Dar es Salaam (DSM) 264-265	Drought 87

DSM. See Dar es Salaam (DSM)	IFSA model, 209 model framework
Economic	demand system specification,
costs, 283	210–212
distribution of benefits,	food-security indicators,
195–196	214–215
impacts, 242–243, 277–278,	model calibration, 212–214
279	quality in food demand,
theory, 200	209-210
welfare, 20, 57–58	quality scaling, 214
Economic Research Service of the	See also Bangladesh, food
United States	security in rural
Department of	EU FUSIONS. See Food Use for
Agriculture (USDA/	Social Innovation by
ERS), 208	Optimizing Waste
Eggplant fruit, 113	Prevention Strategies
EISA. See Energy Independence	(EU FUSIONS)
and Security Act (EISA)	EUFIC. See European Food
El Niño/Southern Oscillation	Information Council
phases (ENSO phases),	(EUFIC)
72, 87	European Commission, 30
Elasticity of average demand, 212	European Commission Resource
Empirical methodology, 245–248	Efficiency Roadmap, 276
Energy Independence and Security	European Food Information
Act (EISA), 136	Council (EUFIC), 30
ENSO phases. See El Niño/	European Food Safety Authority,
Southern Oscillation	30
phases (ENSO phases)	European Union (EU), 6, 194, 223
Environmental	Evapotranspiration, 94
environmentally sustainable	Ex-ante evaluation, 245
dietary guidelines, 29	Ex-post-impact evaluation, 245
· ·	
impact of FLW, 277–278, 279	Extreme events, 86
issues, 168–169	EAO C Ford and April 1
Environmental Quality Incentives	FAO. See Food and Agriculture
Program (EQIP), 128	Organization of the
EPA. See United States	United Nations (FAO)
Environmental	FAOSTAT. See Food and
Protection Agency (EPA)	Agriculture Organization
EQIP. See Environmental Quality	of the United Nations
Incentives Program	Statistics (FAOSTAT)
(EQIP)	Farm Bill (2014), 126–127,
Erysiphe cichoracearum, 113	131–133, 137
Ethiopia, food security in	Farm Service Agency (FSA), 128
food price shocks and their	Farmers, 10, 133, 152, 179, 194,
impacts, 215–217	283

dairy, 133	secular trends in Florida's
educating, 284	climate, 91–94
strawberry farmers, 89	SLR, 94–99
to plant crops, 130	FLW. See Food loss and waste
seafood, 160	(FLW)
smallholder, 105, 221	Food
U.S. dairy industry, 133	access, 74-75
Farms, 177–178	accessibility, 245
FLW at farm level, 283-284	banks, 192
increasing in farm size, 152	categories, 252
FBS. See Food Balance Sheets	chain, 281
(FBS)	costs, 54, 260
FCS. See Food consumption score	demand quality, 209-210
(FCS)	food-basket costs, 266-267, 270
FDA. See United States Food and	food-crop related commodities,
Drug Administration	135
(FDA)	food-insecure households,
Federal crop-insurance program,	225-228
130, 134	food-safety, 176
Fifth Assessment Report (AR5),	food-secure households,
95	225-228
Filter-feeding species, 169	gap, 209
Fish, 163, 165, 265, 268	grains, 213, 262
Fisheries, 69, 74, 78, 161, 166, 168	insecurity, 126, 135, 243
"Fishmeal trap", 168	items, 248
Fixed production, 46	loss, 277
Fixed sugar-beet acreage, 46	nutrition, and health, 23
and constant beet-sugar	outlook, 75
demand, 40-42	preferences, 163–164
and reduced beet-sugar demand,	prices, 60, 213, 215–217,
43	259-260
Florida, sugarcane industry in	production, 2, 72–74
ASSCT, 146–147	retailer, 284–285
Florida sugarcane yields,	tracker, 26
147-149	waste, 277
genetic contribution, 149–150	Food and Agriculture
See also Louisiana, sugarcane	Organization of the
industry in	United Nations (FAO),
Florida's agriculture, 86	2, 30, 38, 86, 106, 160,
Agroclimate.org, 88–89	213, 244–245, 260, 262,
ENSO, 89	276—277
food security, 86–87	Food and Agriculture
Paris climate agreement impact	Organization of the
for, 99	United Nations Statistics
SECC. 87–88	(FAOSTAT), 160, 265

Food and Nutrition Board (1941), 21	dimensions of food security, 37–38
Food Balance Sheets (FBS), 213	estimated market prices of fresh
Food consumption score (FCS),	tomatoes under FSMA, 181–182
"Food Guide Pyramid", 23, 24	estimated profits changes for
Food loss and waste (FLW), 276	fresh-tomato producers
contribution of FLW to food	after FSMA, 182–187
security objectives,	in Ethiopia, 207
278–279	food price shocks and their
and efficiency of resource use,	impacts, 215–217
279	FSMA, 177–179
further research, 282	GM crop adoption in United
HLPE, 277	States, 36
methods for quantification,	IFSA model, 209
280-281	implications and findings, 72
policies to reduce FLW in value	food access, 74–75
chain, 283–286	food outlook, 75
policy activities, 282–283	food production, 72–74
and sustainability, 279-280	indicators, 214–215, 246
Food Safety Modernization Act	interface between GM crop
(FSMA), 177–179	adoption and demand,
estimated market prices of fresh	46–48
tomatoes under,	international trade, 78-79
181-182	method and data, 180-181
estimated profits changes for	model framework
fresh-tomato producers	demand system specification,
after, 182	210-212
Cournot price elasticities, 183	food-security indicators,
percentage change in profits, 186	214-215
	model calibration, 212-214
percentage change in quantity, 184	quality in food demand,
percentage change in	209-210
revenues, 185	quality scaling, 214
US producers with small	price impact of increasing beet-
farms, 187	sugar yields, 43–44
Food security, 2, 19–20, 70,	quantitative example of
86–87, 160, 163,	increasing beet-sugar
192–193, 262, 277–278	yields, 45-46
through biotechnology, 35	R&D, 79
contaminated food, 176	in rural Bangladesh
contribution of FLW to food	data and descriptive
security objectives,	statistics, 248-250
278-279	economic impacts, 242-243

empirical methodology,	FSMA. See Food Safety
245-248	Modernization Act
and measurement, 243-245	(FSMA)
results and discussion,	Fungal
251-253	diseases, 110–111
theoretical framework, 38	pathogens, 115
fixed sugar-beet acreage and	FVS. See Food variety score
constant beet-sugar	(FVS)
demand, 40–42	
fixed sugar-beet acreage and	Gamma distribution function, 4, 5
reduced beet-sugar	GAO. See United States General
demand, 43	Accountability Office
	(GAO)
impact of GM sugar beet	Garden pea (Pisum), 106
adoption, 39	GDP. See Gross domestic product
reduced sugar-beet acreage	(GDP)
and constant beet-sugar	Genetic resistance and grafting
demand, 40	technologies, 113
reduced sugar-beet acreage	Genetically engineered plant (GE
and decreased beet-sugar	plant), 54
demand, 42–43	Genetically modified crop
US sugar beet area, yield, and	(GM crop), 36,
production, 37	194–195
Food Use for Social Innovation by	corn, 196
Optimizing Waste	crops, 201
Prevention Strategies	interface between GM crop
(EU FUSIONS), 276	adoption and demand,
Food variety score (FVS), 245	46–48
Foodborne disease, 176	regulatory, 197
Fresh tomatoes, 180	sugar beets, 36, 39–40
estimated market prices,	Genetically modified organism
181–182	(GMO), 54
estimated profits changes,	analytical approach, 55
182–187	ban, 55
Fresh-produce sectors, 179	crop yields, 56
Fruit worm (Helicoverpa	estimating negative productivity
armigera), 111–113	shocks, 57
Fruits, 21, 22–23, 25, 30, 56, 253,	global study results, 61–64
285 actual intake, 27	US study results, 57–61 See also Biotechnology, food
anthracnose, 115	security through
consumption, 23	Greenhouse gas
vegetable-fruit, 22	Greenhouse gas
FSA. See Farm Service Agency	emissions (GHG
(FSA)	emissions)

GIEWS. See Global Information	Harmonization, 199, 201-202
and Early Warning	Harvesting LCP, 85-384, 151
System (GIEWS)	HDDS. See Household dietary
Global agricultural markets, 194	diversity score (HDDS)
Global economy, 3	Heat-sensitive legumes, 109
Global food crisis, 259–260,	Heat-tolerant crops, 109
262-264	Helicoverpa armigera. See Fruit
Global Food Security Act (2016),	worm (Helicoverpa
135	armigera)
Global Information and Early	Herbicides, 152
Warning System	HFCS. See High fructose corn
(GIEWS), 213	syrup (HFCS)
Global population, 193	HFIAS. See Household food
Global seafood production, 168	insecurity access scale
Global study results, 61	(HFIAS)
emissions from land-use change,	Hidden hunger, 20
64	High fructose corn syrup (HFCS),
impacts on US crop prices and	48, 144
supplies, 62	High Level Panel of Experts
welfare impacts by region, 63	(HLPE), 76, 276
Global Trade Analysis Project	High-yielding sugarcane varieties,
model (GTAP model), 3	144, 150
Global vegetable production,	HLPE. See High Level Panel of
106-109	Experts (HLPE)
Glycine. See Soybean (Glycine)	Horticultural crops, 105
GM crop. See Genetically	House Agricultural Committee,
modified crop (GM crop)	137
GMO. See Genetically modified	House Commerce Committee,
organism (GMO)	137
Governments, 6, 79, 260, 284, 285	Household dietary diversity
Grain(s)	score (HDDS), 245,
group, 25–26	248-249, 250
production, 208	Household food insecurity
Green peach aphid (Myzus	access scale (HFIAS),
persicae), 111	245
Green Revolution, 2, 135	Households, 224
Greenhouse gas emissions (GHG	expenditure survey, 245
emissions), 54, 57–58,	FLW at household level, 285
70, 109	household-coping mechanisms,
Gross domestic product (GDP), 3,	244
7, 242, 266	
GTAP model. See Global Trade	ICRISAT. See International
Analysis Project model	Crops Research Institute
(GTAP model)	for the Semi-Arid
GTAP-BIO analysis, 55	Tropics (ICRISAT)

IFAD. See International Fund for	(IFSA model),
Agricultural	209
Development (IFAD)	International Fund for
IFSA model. See International	Agricultural
Food Security	Development (IFAD),
Assessment model (IFSA	75, 214
model)	International Life Sciences
IMF. See International Monetary	Institute Europe, 30
Fund (IMF)	International Maize and Wheat
IMPACT. See International	Improvement Center,
Model for Policy	135
Analysis of Agricultural	International Model for Policy
Commodities and Trade	Analysis of Agricultural
(IMPACT)	Commodities and Trade
Income elasticities, 212–213	(IMPACT), 1-2
India, 6, 30, 53, 72, 108, 163, 195,	International Monetary Fund
276	(IMF), 262-263
Induced land-use change, 60, 61	International organizations,
Industry trade organizations, 177	262-263
Insects, 151–152	International Plant Protection
parasites, 147	Convention (IPPC),
pests, 111	202-203
fungal diseases, 110–111	International Rice Research
insect pests, 111–112	Institute (IRRI), 135
and relation to climate	International Service for
change, 109	Acquisition of Agri-
sustainable disease and insect	Biotech Applications
pest management	(ISAAA), 36
approaches, 112-116	International trade, 78–79
Institute of Home Economics of	International Union for
USDA, 21–22	Conservation of Nature
Instrumental variable (IV), 247	(IUCN), 77
Integrated pest management	Intervention, 282, 283
strategies (IPM	government, 208
strategies), 103, 112, 147	pest management, 112
Intercropping, 114	policy, 278
Intergovernmental Panel on	IPCC. See Intergovernmental
Climate Change (IPCC),	Panel on Climate Change
70, 95	(IPCC)
International Crops Research	IPM strategies. See Integrated pest
Institute for the Semi-	management strategies
Arid Tropics	(IPM strategies)
(ICRISAT), 248	IPPC. See International Plant
International Food Security	Protection Convention
Assessment model	(IPPC)

IRRI. See International Rice	disease, insects, and weed
Research Institute	infestation, 151–152
(IRRI)	mechanical harvesting, 150–151
ISAAA. See International Service	mechanical-harvester adoption
for Acquisition of Agri-	and increase in farm size,
Biotech Applications	152
(ISAAA)	private research and
IUCN. See International Union	development, 152–153
for Conservation of	sugarcane
Nature (IUCN)	plant-breeding efforts, 150
IV. See Instrumental variable (IV)	prices, 154
	production costs, 153–154
Khat sales, 222, 225, 232	See also Florida, sugarcane
King-tide events. See Nuisance	industry in
flooding	Louisiana State University (LSU),
nooung	150–151
Land	LSMS-ISA. See Living Standards
land-augmenting technical	Measurement Study-
change, 5, 7, 8	Integrated Surveys on
prices, 9	Agriculture (LSMS-ISA)
productivity, 3, 5, 7–8, 13, 240	LSU. See Louisiana State
use, 3, 27, 54, 60, 134	University (LSU)
use, 3, 27, 34, 00, 134	LWD. See Leaf wetness duration
changes, 60, 86	
	(LWD)
emissions, 55, 64	(LWD)
emissions, 55, 64 LCP, 85–384, 150–151	(LWD) MAGNET model. See Modular
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89	(LWD) MAGNET model. See Modular Applied GeNeral
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i>	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model)
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114 Leucinodes orbonalis. See Shoot	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes</i>	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes</i> orbonalis)	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE)
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes</i> orbonalis) Likelihood ratio test, 251–252	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca</i> vitrata), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (Leucinodes orbonalis) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265 Logit analysis, 229–231	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot esculenta)
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (Leucinodes orbonalis) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265 Logit analysis, 229–231 Long-term sustainable agricultural	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot esculenta) Market, 282
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (Leucinodes orbonalis) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265 Logit analysis, 229–231 Long-term sustainable agricultural production, 2	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot esculenta) Market, 282 economy, 37–38
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (<i>Leucinodes orbonalis</i>) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265 Logit analysis, 229–231 Long-term sustainable agricultural production, 2 Looting, 192	MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot esculenta) Market, 282 economy, 37–38 estimated market prices of fresh
emissions, 55, 64 LCP, 85–384, 150–151 Leaf wetness duration (LWD), 89 Leafhoppers, 111 Legume pod borer (<i>Maruca vitrata</i>), 111, 113, 114 Leucinodes orbonalis. See Shoot borer (Leucinodes orbonalis) Likelihood ratio test, 251–252 Livestock systems, 77–78 Living Standards Measurement Study-Integrated Surveys on Agriculture (LSMS-ISA), 264–265 Logit analysis, 229–231 Long-term sustainable agricultural production, 2	(LWD) MAGNET model. See Modular Applied GeNeral Equilibrium Tool model (MAGNET model) MAgPIE. See Model of Agricultural Production and its Impact on the Environment (MAgPIE) Maize production, 261, 267 Malnutrition, 20, 104 Malthusian Trap, 192–193 Management systems, 77, 163, 167 Manihot esculenta. See Cassava leaves (Manihot esculenta) Market, 282 economy, 37–38

food vendors, 225	Multilateral trading system,
market-price changes, 181	193-194
transactions, 4	Multiregion CGE model, 3
US sugar, 38	Mungbean (Vigna radiata), 106
Maruca vitrata. See Legume pod	Myzus persicae. See Green peach
borer (Maruca vitrata)	aphid (Myzus persicae)
Matching estimators, 246, 251	
MEA. See Multilateral	National Bureau of Economic
Environmental	Research model (NBR
Agreements (MEA)	model), 183
Meats, 21, 22–23, 27	National Centers for
Mechanical harvesters, 144,	Environmental
150-151	Information (NCEI), 91
adoption, 152	National Climate Assessment
Melia azedarach, 114	(NCA), 90, 91
Melon fly (Bactrocera cucurbitae),	National Oceanic and
111	Atmospheric
Micronutrient deficiencies, 20	Administration (NOAA),
Middle East, 6, 17, 64, 259	70, 87, 100
Middle of Road scenario, 5	National School Lunch Program,
MILC program. See Milk Income	28
Loss Contract program	NBR model. See National Bureau
(MILC program)	of Economic Research
Milk, 21, 22–23, 93, 133, 252, 253	model (NBR model)
dried-milk powder, 133	NCA. See National Climate
production, 28	Assessment (NCA)
Milk Income Loss Contract	NCDs. See Noncommunicable
program (MILC	diseases (NCDs)
program), 133	NCEI. See National Centers for
Model of Agricultural Production	Environmental
and its Impact on the	Information (NCEI)
Environment (MAgPIE),	Nearest neighbor matching
2	(NNM), 247
Modern market economies, 192	Neem (Azadirachta indica), 114
Modular Applied GeNeral	Negotiations, 197, 199, 204
Equilibrium Tool model	ambition, 200
(MAGNET model), 3, 6,	harmonization, 202
17	SPS, 202
Molecular markers, 115	TPP, 198
Monetization, 137	TTIP, 198
Morbidity, 20	Neoclassical recursive dynamic
Mortality, 20	multisector, 3
Mtwara, 269, 270, 272	Nexus of dietary guidelines and
Multilateral Environmental	food security
Agreements (MEA), 200	deficiency of nutrition, 20

dietary guideline in United	Office of Defense, Health, and
States, 21–27	Welfare Services
dietary guidelines beyond	(ODHWS), 21
United States, 30	OIE. See World Organization for
USDA Dietary Guidelines	Animal Health (OIE)
compliance with 27, 28	Oilseeds, 131, 262
compliance with, 27–28	Oomyzus sokolowskii, 114
effects of income and access	Organisation for Economic
on, 28–29	Co-operation and
future of, 29	Development (OECD),
NGOs. See Non-government	79, 276
organizations (NGOs)	Oriental fruit fly (Bactrocera
NNM. See Nearest neighbor	dorsalis), 114
matching (NNM)	Oromia Coffee Farmers
NOAA. See National Oceanic and	Cooperative Union
	(OCFCU), 222
Atmospheric Administration (NOAA)	Oromo language, 223
* * * * * * * * * * * * * * * * * * * *	Own-labor entitlements, 37–38
non-GM soybeans, 196	Own-price elasticities, 212–213
Non-government organizations	
(NGOs), 126 Noncommunicable diseases	Panic buying, 192
	Parametric approaches, 245
(NCDs), 104 Nonfarm	Parasites, insect, 147
	Parasitoids
economy, 252–253	of diamondback moth, 114
employment, 242–243	insect, 147
engagement in, 242	Paris climate agreement impact for
Nonparametric approaches, 245 Nontradeable foods, 261	Florida agriculture,
*	99
Nuisance flooding, 97 Nutrition, 277–278	Partial equilibrium models
Nutrition, 277–278	(PE models), 2
Obesity 104	PE models. See Partial equilibrium
Obesity, 104 OCFCU. <i>See</i> Oromia Coffee	models (PE models)
	Peanuts, 132
Farmers Cooperative	Per-capita
Union (OCFCU) ODHWS. See Office of Defense,	food expenditures, 252
	food-consumption, 248-249,
Health, and Welfare	250
Services (ODHWS) OECD. See Organisation for	income, 242
	Phaseolus. See Common bean
Economic Co-operation	(Phaseolus)
and Development	"Physical Activity Tracker", 26
(OECD) Off form work 246, 252	Phytophthora capsici. See Blight
Off-farm labor participation, 220	pathogen (Phytophthora
Off-farm-labor participation, 230	capsici)

PIGLOG formulation. See Price-	Propensity score estimation, 251
independent generalized	Propensity score matching (PSM),
logarithmic formulation	246
(PIGLOG formulation)	Protein-rich foods, 21
Pisum. See Garden pea (Pisum)	Pseudo-R ² test, 251–252
Plant-breeding efforts, sugarcane,	PSM. See Propensity score
150	matching (PSM)
PLC. See Price loss coverage	Psophocarpus. See Winged bean
(PLC)	(Psophocarpus)
Plutella xylostella. See	Public agricultural R&D, 4
Diamondback moth	investment in MAGNET, 6
(Plutella xylostella)	Public R&D sector, 1, 3, 4, 135,
Policy	153
activities, 282–283	Publically funded research, 4
failure, 282	Publicly funded agricultural R&D,
makers, 276	135
to reducing FLW in value	Purchasing power parity (PPP), 3
chain, 283–286	i aremaning perior parity (111), e
PPP. See Purchasing power parity	Quality
(PPP)	in food demand, 209–210
Precipitation patterns, 70, 71, 72,	scaling, 214
94, 109	Quantification of FLW, methods
Predators, insect, 147	for, 280–281
Preferential trade agreements, 194,	101, 200 201
196–197	R&D. See Research and
Prevention-based controls, 177	development (R&D)
Price	Rainfall, 92, 110, 134, 208
increases, 209, 215, 217	Ralstonia solanacearum, 115, 116
impact of increasing beet-sugar	Recommended Dietary Allowances
yields, 43–44	(RDAs), 21
for sugarcane, 154	Reduced sugar-beet acreage
support programs, 131–134	and constant beet-sugar
transmission equation, 213	demand, 40
Price loss coverage (PLC), 127	and decreased beet-sugar
Price-independent generalized	demand, 42–43
logarithmic formulation	Regional Integrated Sciences and
(PIGLOG formulation),	Assessments (RISA), 88
209, 210, 211 Private P&D, 152, 153	Regional trade agreements,
Private R&D, 152–153 Production	assessment of, 196–200
	Renewable energy sources, 2
costs of sugarcane, 153–154	Renewable Fuels Standard (RFS),
of improving varieties, 148	126, 136 Research and development (R & D)
production-based entitlements,	Research and development (R&D),
37–38	2, 77, 79, 127, 144,
Productivity, 73	161–162, 193

with and without trade, 145

seafood production, 161-164 in international trade, 145 private, 152-153 SECC. See Southeastern Climate publicly funded agricultural, Consortium (SECC) Secular trends in Florida's climate, R&D-driven technical change, 91 - 94incorporation of, 4-5 Seed producers, 283 Research programs, 152 Segmentation, 3 Resilient cropping systems, 106 Shared Socioeconomic Pathways Resistant cultivars, 113 #2 (SSP2), 5 Rest of the World (ROW), 180 Shoot borer (Leucinodes orbonalis), Restaurant level, FLW at, 286 111, 113 Retailer level, FLW at, 284-285 Shrimp production, 169 Revenue SLR. See Sea level rise (SLR) changes, 184-185 Small farms, 178-179, 243 support programs, 131-134 Smallholders, 222, 224 RFS. See Renewable Fuels SNAP. See Supplemental Nutrition Assistance Standard (RFS) Rice, 261, 267 Program (SNAP) Social impact of FLW, 277-278, RISA. See Regional Integrated Sciences and 279 Assessments (RISA) Social accounting matrix (SAM), 4 Risk Management Agency (RMA), Socioeconomic variables, 251 129 Soda apple (Solanum viarum), 114 ROW. See Rest of the World Solanum lycopersicum, 116 Solanum viarum. See Soda apple (ROW) Rural economy, 242 (Solanum viarum) Rural households, 243, 249–250, Soup kitchens, 192 252 - 253Southeastern Climate Consortium (SECC), 87-88SAM. See Social accounting Soybean (Glycine), 106 price, 59-60 matrix (SAM) SAS. See Strawberry Advisory Spodoptera litura. See Army worm System (SAS) (Spodoptera litura) Sporadic market participation, 229 SDGs. See Sustainable **Development Goals** SSB. See Sugar-sweetened beverages (SSB) (SDGs) Sea level rise (SLR), 90, 94 SSP2. See Shared Socioeconomic Seafood, 160 Pathways #2 (SSP2) in animal food system, 164 Stability, food-security dimension, annual growth rates for 2, 38 animal-production Stakeholders, 30 categories, 165 Standards, 197, 201-203 environmental issues, Strawberry Advisory System 168 - 169(SAS), 88–89

seafood trade, 166–167

Sub-Saharan Africa, 7, 9 growth of food prices in	Sustainable disease and insect pest management approaches,
regions, 10	112-116
Sugar beets, 36–37, 40, 143–144	Sustainable food system, 277–278
acreage, 39	SWEET Act. See Sugar-Sweetened
fixed sugar-beet acreage and constant beet-sugar demand, 40-42	Beverages Tax Act (SWEET Act)
fixed sugar-beet acreage and	Tanzania case
reduced beet-sugar demand, 43	composition and cost of typical diet, 264–271
reduced sugar-beet acreage	domestic food markets, 260–261
and constant beet-sugar	FAO, 260
demand, 40	global food crisis, 262–264
reduced sugar-beet acreage	nontradeable foods, 261
and decreased beet-sugar	Tanzania National Panel Survey
demand, 42–43	(TZNPS), 264–265
Sugar-sweetened beverages (SSB), 144	Tanzanian National Bureau of
Sugar-Sweetened Beverages Tax	Statistics (TNBS), 264–265
Act (SWEET Act), 48	Tariff-rate quota (TRQ), 38
Sugarcane, 40	Technology
Sugarcane Disease Detection	adoption, 148
Laboratory, 152	technological advances,
yields and production	149-150
Florida and Louisiana cane	Terrestrial animal protein, 165
sugar-yield regression	Theil's entropy measure, 211
results, 155	Thrips, 111 TNBS. See Tanzanian National
sugar beets, 143–144	Bureau of Statistics
sugarcane industry in	(TNBS)
Florida, 146–150	Tomato farms, 180
sugarcane industry in Louisiana, 150–154	Total domestic demand (D_T) , $42-43$
theoretical framework,	Total market demand, 211
144—145	TPP. See Trans-Pacific Partnership
Supplemental Nutrition Assistance Program (SNAP), 48	(TPP) Trade
Supply chain, 284	agreements
Sustainability, 106, 152, 279–280	assessment of three regional,
Sustainable Development Goals	196–200
(SDGs), 104	limits of trade agreements,
Sustainable Development	200-203
Solutions Network, 104	imbalance, 167

seafood, 166–167	United Nations Environment
trade-based entitlements,	Program (UNEP),
37-38	276-277
trade-inhibiting direct effects,	United Nations Framework
194	Convention on Climate
Traditional crops, 147	Change (UNFCCC), 99
Traditional wholestalk harvesters,	United States, 4, 36, 199
151	National Academy of Sciences,
	21
Trans-Pacific Partnership (TPP),	
	study results, 57–61
negotiations, 198–199	sugar market, 38
Transatlantic Trade and	sugar policy, 144, 150
Investment Partnership	US-Canada Trade Agreement,
(TTIP), 194	202–203
negotiations, 198	United States Agency for
Transportation systems, 167	International
Trap cropping, 114	Development (USAID),
TRQ. See Tariff-rate quota (TRQ)	137
TTIP. See Transatlantic Trade	United States Department of
and Investment	Agriculture (USDA), 21,
Partnership (TTIP)	36, 40, 54, 86, 128, 265
Two-row wholestalk harvesting,	Dietary Guidelines, 20–21
151	compliance with, 27–28
Type 2 diabetes, 104	compliance with, 27 20
Typical diet, composition and cost	effects of income and access
of, 264	on, 28–29
calorie and cost shares of foods	United States Department of
in average tanzanian	Agriculture, Economic
diet, 265	Research Service
cooking oil prices, 270–271	(USDA/ERS), 45, 176,
DSM food basket, 266	180
food and petrol prices and	United States Department of
food-basket costs,	Agriculture, Foreign
266	Agricultural Service
real food costs, Tanzanian	(USDA/FAS), 180,
shillings/month, 269	208-209
real food prices, national	United States Department of
average, 268	Agriculture-Agricultural
sugar prices, 270–271	Research Service
Tanzanian maize and rice	(USDA-ARS), 148
1 267	
production, 26/	United States Department of
production, 267 wheat and flour prices,	United States Department of Health (USDH), 23
wheat and flour prices, 270	Health (USDH), 23
wheat and flour prices, 270	Health (USDH), 23 United States Department of
wheat and flour prices,	Health (USDH), 23

United States Environmental	USDA/ERS. See Economic
Protection Agency	Research Service of the
(EPA), 54, 136	United States
EPA-approved insecticides, 147	Department of
United States Food and Drug	Agriculture (USDA/
Administration (FDA),	ERS); United States
54, 176, 177, 178	Department of
United States General	Agriculture, Economic
Accountability Office	Research Service
(GAO), 137, 279	(USDA/ERS)
U.S. Agricultural Policy, 126-128	USDA/FAS. See United States
assessment, 129	Department of
agricultural-insurance and	Agriculture, Foreign
disaster-aid programs,	Agricultural Service
129–130	(USDA/FAS)
	USDA/NASS. See USDA's
conservation policy, 134–135	National Agricultural
price and revenue support	Statistics Service
programs, 131–134	(USDA/NASS)
publicly funded agricultural	USDA's National Agricultural
R&D, 135	Statistics Service
renewable fuels standard (2007),	(USDA/NASS),
136	180-181
U.S. food-aid programs,	USDH. See United States
136-138	Department of Health
U.S. dairy policy program, 133	(USDH)
U.S. disaster-aid programs, 130	USDHHS. See United States
U.S. food-aid programs, 126,	Department of Health
136-138	and Human Services
US Global Change Research	(USDHHS)
Program (USGCRP), 91	USGCRP. See US Global Change
U.S. International Food-aid	Research Program
Programs, 126	(USGCRP)
U.S. rural households, 129	Utilization, food-security
USAID. See United States Agency	dimensions, 2, 38
	difficusions, 2, 36
for International	
Development (USAID)	Value chain, policies to reducing
Development (USAID) USDA. <i>See</i> United States Department of	Value chain, policies to reducing
Development (USAID) USDA. See United States	Value chain, policies to reducing FLW in, 283
Development (USAID) USDA. <i>See</i> United States Department of	Value chain, policies to reducing FLW in, 283 FLW at farm level, 283–284 FLW at household level, 285 FLW at restaurant level, 286
Development (USAID) USDA. See United States Department of Agriculture (USDA)	Value chain, policies to reducing FLW in, 283 FLW at farm level, 283–284 FLW at household level, 285
Development (USAID) USDA. See United States Department of Agriculture (USDA) USDA-ARS. See United States	Value chain, policies to reducing FLW in, 283 FLW at farm level, 283–284 FLW at household level, 285 FLW at restaurant level, 286 FLW at retailer level, 284–285
Development (USAID) USDA. See United States Department of Agriculture (USDA) USDA-ARS. See United States Department of	Value chain, policies to reducing FLW in, 283 FLW at farm level, 283–284 FLW at household level, 285 FLW at restaurant level, 286 FLW at retailer level,

VDSA. See Village Dynamics	US, 61
Studies in South Asia	Well-stocked supermarket shelves,
(VDSA)	192
Vegetable(s), 21, 22–23	WFP. See World Food Program
diseases and relation to climate	(WFP)
change, 109	Wheat, 261
fungal diseases, 110–111	Whitefly (Bemisia tabaci), 111
insect pests, 111–112	Wholesale level, FLW at, 284
sustainable disease and insect	Wild vegetable species, 106
pest management	Winged bean (<i>Psophocarpus</i>), 106
approaches, 112–116	WMO. See World Meteorological
production	Organization (WMO)
climate change, 105	World Economic Forum, 276
global vegetable production,	World Food Program (WFP), 70,
106–109	243
NCDs, 104-105	World Health Organization, 30,
resilience of farming systems,	104
105-106	World Meteorological
vegetable diseases and insect	Organization (WMO), 73
pests relates to climate	World Organization for Animal
change, 109	Health (OIE), 202–203
Vigna angularis. See Azuki beans	World price transmission, 217
(Vigna angularis)	World Trade Organization (WTO),
Vigna mungo. See Black gram	78, 127, 166
(Vigna mungo)	World Trade Organization
Vigna radiata. See Mungbean	Agreement on the
(Vigna radiata)	Application of Sanitary
Vigna unguiculata. See Cowpea	and Phytosanitary
(Vigna unguiculata)	Measures (WTO/SPS),
Vigna unguiculata subsp.	193-194
sesquipedalis. See Yard-	World Vegetable Center, 115
long bean (Vigna	WTO. See World Trade
<i>unguiculata</i> subsp.	Organization (WTO)
sesquipedalis)	WTO/SPS. See World Trade
Village Dynamics Studies in South	Organization Agreement
Asia (VDSA), 248	on the Application of
Viroids, 112	Sanitary and
	Phytosanitary Measures
Warming land temperatures, 71	(WTO/SPS)
Waste Management and Food	, ,
Policy, 276	Yard-long bean (Vigna unguiculata
Weed infestation, 151–152	subsp. sesquipedalis), 106
Welfare	Yield(s), 73, 149
global economic, 60	cereal, 2
impacts by region, 63	shocks, 55, 58
results, 62–63	